U.S. DEPARTMENT OF COMMERCE
National Technical Information Service

PB-281 010

Alligator Lake, Columbia County, Florida

National Eutrophication Survey, Corvallis, Oreg

Prepared for

Corvallis Environmental Research Lab, Oreg

Oct 77

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

1. REPORT NO.	2.	3. RECIPIENT'S ACCESSION NO. PB281010
4. TITLE AND SUBTITLE Report on Alligator Lake, Columbia County, Florida		5. REPORT DATE Prepared October, 1977 6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) Anonymous (National Eutrophication Survey Staff)		8. PERFORMING ORGANIZATION REPORT NO. Working Paper # 243
9. PERFORMING ORGANIZATION NAME AND ADDRESS Pacific Northwest Environmental Research Laboratory U.S. Environmental Protection Agency 200 S. W. 35th St. Corvallis, Oregon 97330		10. PROGRAM ELEMENT NO. 1BA029 11. CONTRACT/GRANT NO.
12. SPONSORING AGENCY NAME AND ADDRESS Office of Research and Development U.S. Environmental Protection Agency 401 M Street, S. W. Washington, DC 20460		13. TYPE OF REPORT AND PERIOD COVERED Final - 1973 14. SPONSORING AGENCY CODE

15. SUPPLEMENTARY NOTES
Prepared in cooperation with the U.S. Environmental Protection Agency, National Environmental Research Center, Las Vegas, Nevada 89114

16. ABSTRACT
Annual total phosphorus and total nitrogen loadings to the lake were estimated and subdivided according to either point or non-point source origin. An assessment of the lake's trophic condition and limiting nutrient is also provided. All data collected by the U.S.E.P.A. National Eutrophication Survey during the one year study of the lake and its tributaries are included in the report.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
eutrophication lakes nutrients phosphorus nitrogen loading	National Eutrophication Survey Lake Survey	05B 05C

18. DISTRIBUTION STATEMENT	19. SECURITY CLASS *(This Report)*	21. NO. OF PAGES
Release Unlimited	Unclassified	44
	20. SECURITY CLASS *(This page)*	22. PRICE PC A03/MF A01

EPA Form 2220-1 (Rev. 4-77) PREVIOUS EDITION IS OBSOLETE

PB 281 010

U.S. ENVIRONMENTAL PROTECTION AGENCY
NATIONAL EUTROPHICATION SURVEY

WORKING PAPER SERIES



REPORT

ON

ALLIGATOR LAKE

COLUMBIA COUNTY

FLORIDA

REGION IV

WORKING PAPER No. 243

CORVALLIS ENVIRONMENTAL RESEARCH LABORATORY - CORVALLIS, OREGON

and

ENVIRONMENTAL MONITORING & SUPPORT LABORATORY - LAS VEGAS, NEVADA

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

O. 699-440

44

CONTENTS

	Page
Foreword	ii
List of Florida Study Lakes	iv
Lake and Drainage Area Map	v
Sections	
I. Conclusions	1
II. Lake and Drainage Basin Characteristics	4
III. Lake Water Quality Summary	5
IV. Nutrient Loadings	9
V. Literature Reviewed	14
VI. Appendices	15

FOREWORD

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to fresh water lakes and reservoirs.

OBJECTIVES

The Survey was designed to develop, in conjunction with state environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and state management practices relating to point-source discharge reduction and non-point source pollution abatement in lake watersheds.

ANALYTIC APPROACH

The mathematical and statistical procedures selected for the Survey's eutrophication analysis are based on related concepts that:

a. A generalized representation or model relating sources, concentrations, and impacts can be constructed.

b. By applying measurements of relevant parameters associated with lake degradation, the generalized model can be transformed into an operational representation of a lake, its drainage basin, and related nutrients.

c. With such a transformation, an assessment of the potential for eutrophication control can be made.

LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning [§303(e)], water quality criteria/standards review [§303(c)], clean lakes [§314(a,b)], and water quality monitoring [§106 and §305(b)] activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

Beyond the single lake analysis, broader based correlations between nutrient concentrations (and loading) and trophic condition are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's fresh water lakes. Likewise, multivariate evaluations for the relationships between land use, nutrient export, and trophic condition, by lake class or use, are being developed to assist in the formulation of planning guidelines and policies by EPA and to augment plans implementation by the states.

ACKNOWLEDGMENT

The staff of the National Eutrophication Survey (Office of Research & Development, U. S. Environmental Protection Agency) expresses sincere appreciation to the Florida Department of Environmental Regulation for professional involvement and to the Florida National Guard for conducting the tributary sampling phase of the Survey.

Joseph W. Landers, Jr., Secretary of the Department of Environmental Regulation; John A Redmond, former Director of the Division of Planning, Technical Assistance, and Grants; and Dr. Tim S. Stuart, Chief of the Bureau of Water Quality, provided invaluable lake documentation and counsel during the survey, reviewed the preliminary reports, and provided critiques most useful in the preparation of this Working Paper series.

Major General Henry W. McMillan (Retired), then the Adjutant General of Florida, and Project Officer Colonel Hugo F. Windham, who directed the volunteer efforts of the Florida National Guard, are also gratefully acknowledged for their assistance to the Survey.

NATIONAL EUTROPHICATION SURVEY

STUDY LAKES

STATE OF FLORIDA

LAKE NAME	COUNTY
Alligator	Columbia
Apopka	Lake, Orange
Banana	Polk
Crescent	Flagler, Putnam
Doctors	Clay
Dora	Lake
East Tohopekaliga	Osceola
Effie	Polk
Eloise	Polk
George	Putnam, Volusia
Gibson	Polk
Glenada	Highlands
Griffin	Lake
Haines	Polk
Hancock	Polk
Horseshoe	Seminole
Howell	Orange, Seminole
Istokpoga	Highlands
Jessie	Polk
Jessup	Seminole
Kissimmee	Osceola
Lawne	Orange
Lulu	Polk
Marion	Polk
Minnehaha	Orange
Minneola	Lake
Monroe	Seminole, Volusia
Munson	Leon
Okeechobee	Glades, Hendry, Martin, Okeechobee, Palm Beach
Poinsett	Brevard, Orange, Osceola
Reedy	Polk
Seminole	Jackson, FL; Decatur, Seminole, GA
Seminole	Pinellas
South	Brevard
Talquin	Gadsden, Leon
Tarpon	Pinellas
Thonotosassa	Hillsborough
Tohopekaliga	Osceola
Trout	Lake
Weohyakapka	Polk
Yale	Lake


82°38'
82°37'
30°12'
30°11'
30°10'
Lake DeSoto
Lake Hamburg
Lake Isabella
LAKE CITY
Watertown
dams
B1
X01
A1
ALLIGATOR LAKE
C1
Fla.
Map Location
X02
ALLIGATOR LAKE
Tributary Sampling Site
Lake Sampling Site
Sewage Treatment Facility
0 1/2 1 1 1/2 Km.
0 1/2 Mi.
Scale

ALLIGATOR LAKE

STORET NO. 1201

I. CONCLUSIONS

A. Trophic Condition:

Survey data indicate that Alligator Lake is hypereutrophic. It ranked 36th when the 41 Florida lakes sampled in 1973 were compared using a combination of six parameters*. Thirty of the lakes had less median total phosphorus, 33 had less median dissolved phosphorus, 27 had less and three had the same median inorganic nitrogen, 33 had less mean chlorophyll a, and 28 had greater mean Secchi disc transparency. Depression of dissolved oxygen at depths less than two meters occurred at station 1 in March and November.

Survey limnologists noted dense algal blooms and much emergent vegetation along the shorelines during sampling. Chlorophyll a values ranging from 19.4 to 231.1 µg/l, high phytoplankton counts (see page 7), and Secchi disc transparencies of less than one meter confirm the over-enriched condition of this lake.

B. Rate-Limiting Nutrient:

The algal assay results indicate that Alligator Lake was limited by nitrogen at the time the assay sample was collected (03/07/73). The lake data indicate nitrogen limitation at the other sampling times as well.

---

* See Appendix A.

C. Nutrient Controllability:

1. Point sources--It is estimated that during the sampling year, almost 71% of the total phosphorus and 52% of the total nitrogen inputs to Alligator Lake were contributed by the Lake City wastewater treatment plant which indirectly discharged to the lake by way of Unnamed Creek C-1.

The sampling year phosphorus loading of 15.63 g/m^2 is nearly 24 times that proposed by Vollenweider (Vollenweider and Dillon, 1974) as a eutrophic loading. However, even complete removal of the proportionately large point-source phosphorus contribution would still leave a loading of 4.59 $g/m^2/yr$ (seven times the eutrophic level); and, although the critical level for Florida lakes may be somewhat higher than that suggested by Vollenweider (see page 13), it does not seem likely that point-source phosphorus control would result in a significant improvement of the trophic condition of the lake.

The somewhat limited Survey data indicate nitrogen enrichment may be contributing to the eutrophication of Alligator Lake. However, a more intensive study of the nitrogen budget of the lake is needed for an assessment of the effects of point-source nitrogen control.

2. Non-point sources--It is estimated that non-point sources contributed 29% of the total phosphorus load and nearly 48% of the total nitrogen load to Alligator Lake during the sampling year. The

largest contributions were from minor tributaries and immediate drainage which accounted for just over 22% of the phosphorus load and 36% of the nitrogen load.

The 1962 Lake City East and Lake City West U.S.G.S. quadrangle maps indicate that land use around the lake is predominantly urban.

II. LAKE AND DRAINAGE BASIN CHARACTERISTICS†

A. Lake Morphometry††:

1. Surface area: 1.37 kilometers^2.
2. Mean depth: 1.5 meters.
3. Maximum depth: 2.4 meters.
4. Volume: 2.055×10^6 m^3.
5. Mean hydraulic retention time: 50 days.

B. Tributary and Outlet:
(See Appendix C for flow data)

1. Tributaries -

Name	Drainage area (km^2)*	Mean flow (m^3/sec)*
Unnamed Creek A-1	2.1	0.02
Unnamed Creek B-1	2.1	0.02
Unnamed Creek C-1	4.7	0.12
Minor tributaries & immediate drainage -	29.6	0.32
Totals	38.5	0.48

2. Outlet -

No surface outlet (seepage).	39.9**	0.48**

C. Precipitation***:

1. Year of sampling: 153.6 centimeters.
2. Mean annual: 129.6 centimeters.

---

† Table of metric conversions--Appendix B.
†† Surface area calculated from U.S.G.S. maps; depths estimated from soundings reported in Appendix D.
* For limits of accuracy, see Working Paper No. 175, "...Survey Methods, 1973-1976".
** Includes area of lake; since the lake level is relatively constant, seepage outflow is assumed to equal the sum of inflows.
*** See Working Paper No. 175.

III. LAKE WATER QUALITY SUMMARY

Alligator Lake was sampled three times during 1973 by means of a pontoon-equipped Huey helicopter. Each time, samples for physical and chemical parameters were collected from two stations on the lake and from one or more depths at each station (see map, page v). During each visit, a single depth-integrated (near bottom to surface) sample was composited from the stations for phytoplankton identification and enumeration; and during the first visit, a single 18.9-liter depth-integrated sample was composited for algal assays. Also each time, a depth-integrated sample was collected from each of the stations for chlorophyll a analysis. The maximum depth sampled at station 1 was 1.5 meters; only near-surface samples were taken at station 2.

The sampling results are presented in full in Appendix D and are summarized in the following table.

A. SUMMARY OF PHYSICAL AND CHEMICAL CHARACTERISTICS FOR ALLIGATOR LAKE
STORET CODE 1201

PARAMETER	1ST SAMPLING (3/ 7/73) 2 SITES RANGE	MEAN	MEDIAN	2ND SAMPLING (8/31/73) 2 SITES RANGE	MEAN	MEDIAN	3RD SAMPLING (11/ 5/73) 2 SITES RANGE	MEAN	MEDIAN
TEMP (C)	19.9 - 21.3	20.6	21.3	29.2 - 29.6	29.4	29.4	19.3 - 22.4	20.3	19.8
DISS OXY (MG/L)	1.9 - 8.5	5.2	5.2	8.5 - 11.4	9.9	9.9	3.2 - 12.0	6.9	5.4
CNDCTVY (MCROMO)	110. - 180.	157.	180.	172. - 178.	176.	178.	178. - 178.	178.	178.
PH (STAND UNITS)	7.5 - 7.9	7.7	7.7	8.1 - 10.1	9.0	8.8	7.4 - 9.6	8.4	8.2
TOT ALK (MG/L)	24. - 46.	38.	43.	49. - 54.	52.	54.	54. - 71.	64.	68.
TOT P (MG/L)	0.204 - 1.240	0.888	1.220	0.330 - 0.620	0.462	0.435	0.574 - 1.130	0.908	1.020
ORTHO P (MG/L)	0.127 - 1.000	0.681	0.910	0.137 - 0.386	0.270	0.287	0.311 - 0.990	0.710	0.830
NO2+NO3 (MG/L)	0.080 - 0.290	0.207	0.250	0.120 - 0.180	0.143	0.130	0.060 - 0.140	0.103	0.110
AMMONIA (MG/L)	0.070 - 0.330	0.207	0.220	0.100 - 0.120	0.110	0.110	0.090 - 0.350	0.187	0.120
KJEL N (MG/L)	1.600 - 2.300	1.900	1.800	1.800 - 3.600	2.700	2.700	2.100 - 4.400	3.100	2.800
INORG N (MG/L)	0.150 - 0.580	0.413	0.510	0.220 - 0.300	0.253	0.240	0.200 - 0.410	0.290	0.260
TOTAL N (MG/L)	1.680 - 2.590	2.107	2.050	1.920 - 3.780	2.843	2.830	2.160 - 4.540	3.203	2.910
CHLRPYL A (UG/L)	19.4 - 25.6	22.5	22.5	80.4 - 231.1	155.7	155.7	49.2 - 120.7	84.9	84.9
SECCHI (METERS)	0.8 - 0.9	0.8	0.8	0.6 - 0.6	0.6	0.6	0.2 - 0.9	0.6	0.6

B. Biological characteristics:

1. Phytoplankton -

Sampling Date	Dominant Genera	Algal Units per ml
03/07/73	1. Flagellates	2,298
	2. Cryptomonas sp.	1,253
	3. Crucigenia sp.	1,021
	4. Scenedesmus sp.	625
	5. Coelastrum sp.	487
	Other genera	4,111
	Total	7,497
08/31/73	1. Chroococcus sp.	9,623
	2. Cyclotella sp.	5,667
	3. Oscillatoria sp.	3,657
	4. Microcystis sp.	3,291
	5. Anabaena sp.	2,742
	Other genera	16,573
	Total	41,553
11/05/73	1. Melosira sp.	16,084
	2. Oscillatoria sp.	11,628
	3. Anabaena sp.	1,163
	4. Aphanocapsa sp.	967
	5. Flagellates	967
	Other genera	4,636
	Total	35,445

2. Chlorophyll a -

Sampling Date	Station Number	Chlorophyll a (µg/l)
03/07/73	1	25.6
	2	19.4
08/31/73	1	80.4
	2	231.1
11/05/73	1	49.2
	2	120.7

C. Limiting Nutrient Study:

1. Autoclaved, filtered, and nutrient spiked -

Spike (mg/l)	Ortho P Conc. (mg/l)	Inorganic N Conc. (mg/l)	Maximum yield (mg/l-dry wt.)
Control	0.600	0.444	14.5
0.050 P	0.650	0.444	14.2
0.050 P + 1.0 N	0.650	1.444	31.3
1.0 N	0.600	1.444	31.8

2. Discussion -

The control yield of the assay alga, Selenastrum capricornutum, indicates that the potential primary productivity of Alligator Lake was very high at the time the sample was collected (03/07/73). Also, the lack of significant change in yield with the addition of orthophosphorus until nitrogen was also added shows that the lake was nitrogen limited when sampled. Note that the addition of nitrogen alone produced a yield much greater than the control.

Nitrogen limitation is also indicated by the lake data; i.e., the mean inorganic nitrogen to orthophosphorus ratios were less than 1 to 1 at all sampling times.

IV. NUTRIENT LOADINGS
(See Appendix E for data)

For the determination of nutrient loadings, the Florida National Guard collected monthly near-surface grab samples from each of the tributary sites indicated on the map (page v). Sampling was begun in March, 1973, and was completed in February, 1974.

Through an interagency agreement, stream flow estimates for the year of sampling and a "normalized" or average year were provided by the Florida District Office of the U.S. Geological Survey for the tributary sites nearest the lake.

In this report, nutrient loads for tributaries A-1 and B-1 were determined by using a modification of a U.S. Geological Survey computer program for calculating stream loadings*. Outlet nutrient loads were estimated using mean nutrient concentrations in the lake and the assumed seepage outflow.

Nutrient loads from the Lake City wastewater treatment plant exceeded the loads measured in Unnamed Creek C-1, and the background loads for this stream and the unsampled "minor tributaries and immediate drainage" (ZZ of U.S.G.S.) were estimated using the means of the nutrient loads, in $kg/km^2/yr$, at stations A-1 and B-1 and multiplying the means by the C-1 and ZZ areas in km^2.

The operator of the Lake City wastewater treatment plant provided monthly effluent samples and corresponding flow data.

---

* See Working Paper No. 175.

A. Waste Sources:

1. Known municipal -

Name	Pop. Served	Treatment	Mean Flow (m^3/d)	Receiving Water
Lake City*	11,725	trickling filter	7,917.8	Unnamed Creek C-1
Woodland Grove SD**				

2. Known industrial - None

* Treatment plant questionnaire.
** Effluent does not reach Alligator Lake; Haltiwanger, 1975.

B. Annual Total Phosphorus Loading - Average Year:

1. Inputs -

Source	kg P/yr	% of total
a. Tributaries (non-point load) -		
Unnamed Creek A-1	205	1.0
Unnamed Creek B-1	470	2.2
Unnamed Creek C-1	755	3.5
b. Minor tributaries & immediate drainage (non-point load) -	4,800	22.4
c. Known municipal STP's -		
Lake City	15,130	70.6
d. Septic tanks* -	5	<0.1
e. Known industrial - None	-	-
f. Direct precipitation** -	60	0.3
Total	21,425	100.0

2. Outputs -

Seepage	11,875

3. Net annual P accumulation - 9,550 kg.

* Estimate based on 15 lakeshore dwellings; see Working Paper No. 175.
** Brezonik and Shannon, 1971.

C. Annual Total Nitrogen Loading - Average Year:

1. Inputs -

Source	kg N/yr	% of total
a. Tributaries (non-point load) -		
Unnamed Creek A-1	2,215	2.7
Unnamed Creek B-1	2,005	2.4
Unnamed Creek C-1	4,725	5.7
b. Minor tributaries & immediate drainage (non-point load) -	29,950	36.0
c. Known municipal STP's -		
Lake City	43,385	52.1
d. Septic tanks* -	160	0.2
e. Known industrial - None	-	-
f. Direct precipitation** -	795	0.9
Total	83,235	100.0

2. Outputs -

Seepage	43,140

3. Net annual N accumulation - 40,095 kg.

D. Non-point Nutrient Export by Subdrainage Area:

Tributary	kg P/km^2/yr	kg N/km^2/yr
Unnamed Creek A-1	98	1,055
Unnamed Creek B-1	224	955

* Estimate based on 15 lakeshore dwellings; see Working Paper No. 175.
** Brezonik and Shannon, 1971.

E. Yearly Loads:

In the following table, the existing phosphorus loadings are compared to those proposed by Vollenweider (Vollenweider and Dillon, 1974). Note, however, that Florida lakes may be able to assimilate phosphorus at a somewhat higher level than that suggested by Vollenweider (Shannon and Brezonik, 1972).

Essentially, Vollenweider's "dangerous" loading is one at which the receiving water would become eutrophic or remain eutrophic; his "permissible" loading is that which would result in the receiving water remaining oligotrophic or becoming oligotrophic if morphometry permitted. A mesotrophic loading would be considered one between "dangerous" and "permissible".

Vollenweider's model may not be applicable to water bodies with short hydraulic retention times.

	Total Phosphorus		Total Nitrogen	
	Total	Accumulated	Total	Accumulated
grams/m^2/yr	15.63	6.97	60.8	29.3

Vollenweider phosphorus loadings ($g/m^2/yr$) based on estimated mean depth and hydraulic retention time of Alligator Lake:

"Dangerous" (eutrophic loading)	0.66
"Permissible" (oligotrophic loading)	0.33

V. LITERATURE REVIEWED

Brezonik, Patrick L., and Earl E. Shannon, 1971. Trophic state of lakes in north central Florida. Publ. No. 13, Water Resources Res. Ctr., U. of FL, Gainesville.

Haltiwanger, Joe, 1973. Personal communication (Woodland Grove STP location). Lake City.

Shannon, Earl E., and Patrick L. Brezonik, 1972. Relationships between lake trophic state and nitrogen and phosphorus loading rates. Env. Sci. & Techn. 6 (8): 719-725.

Vollenweider, R. A., and P. J. Dillon, 1974. The application of the phosphorus loading concept to eutrophication research. Natl. Res. Council of Canada Publ. No. 13690, Canada Centre for Inland Waters, Burlington, Ontario.

VI. APPENDICES

APPENDIX A

LAKE RANKINGS

LAKE DATA TO BE USED IN RANKINGS

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500-MEAN SEC	MEAN CHLORA	15-MIN DO	MEDIAN DISS ORTHO P
1201	ALLIGATOR LAKE	0.626	0.260	474.000	87.733	13.100	0.386
1202	LAKE APOPKA	0.102	0.230	484.176	46.611	8.200	0.019
1203	LAKE BANANA	0.660	0.260	482.667	208.600	3.600	0.293
1206	LAKE CRESCENT	0.065	0.130	473.889	10.211	10.200	0.033
1207	DOCTORS LAKE	0.084	0.120	465.555	27.100	10.600	0.028
1208	LAKE DORA	0.102	0.240	482.889	54.978	7.400	0.022
1209	LAKE EFFIE	1.480	0.410	489.000	261.433	15.000	0.950
1210	LAKE GEORGE	0.129	0.165	469.308	35.000	11.000	0.063
1211	LAKE GIBSON	0.167	0.115	470.000	19.675	10.200	0.069
1212	GLENADA LAKE	0.134	0.165	454.167	27.667	14.700	0.072
1214	LAKE GRIFFIN	0.119	0.260	481.333	66.855	6.600	0.038
1215	LAKE HAINES	0.063	0.115	462.667	26.567	10.600	0.014
1217	LAKE HANCOCK	0.772	0.195	483.500	97.900	5.600	0.158
1219	LAKE HORSESHOE	0.034	0.130	459.000	12.067	11.500	0.023
1220	LAKE HOWELL	1.260	0.285	464.000	54.117	9.000	1.175
1221	LAKE ISTOKPOGA	0.039	0.120	464.222	6.594	8.600	0.010
1223	LAKE JESSUP	0.492	0.290	487.000	76.550	7.600	0.288
1224	LAKE KISSIMMEE	0.034	0.145	463.667	24.142	8.800	0.007
1227	LAKE LULU	1.490	1.065	483.000	276.566	14.300	1.030
1228	LAKE MARION	0.044	0.260	468.833	29.967	7.600	0.016
1229	LAKE MINNEHAHA	0.034	0.060	435.000	8.733	7.700	0.012
1230	LAKE MINNEOLA	0.018	0.070	406.333	3.333	7.400	0.009
1231	LAKE MONROE	0.188	0.300	474.555	14.225	10.800	0.128
1232	LAKE OKEECHOBEE	0.063	0.185	472.366	14.524	9.800	0.010
1234	LAKE POINSETT	0.085	0.150	469.000	6.500	10.600	0.051
1236	LAKE REEDY	0.034	0.330	468.500	34.837	10.600	0.008
1238	LAKE SOUTH	0.074	0.130	464.000	23.167	9.000	0.028
1239	LAKE TALQUIN						

LAKE DATA TO BE USED IN RANKINGS

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500-MEAN SEC	MEAN CHLORA	15-MIN DO	MEDIAN DISS ORTHO P
1240	LAKE THONOTOSASSA	0.695	0.095	466.167	37.700	10.200	0.565
1241	LAKE TOHOPEKALIGA	0.246	0.200	472.917	30.633	10.500	0.152
1242	TROUT LAKE	1.110	0.650	472.000	76.967	12.900	0.970
1243	LAKE WEOHYAKAPKA	0.047	0.080	458.667	7.767	8.200	0.011
1246	LAKE YALE	0.027	0.160	441.000	25.367	7.600	0.014
1247	LAKE MUNSON	1.475	0.925	486.667	140.317	12.200	0.852
1248	LAKE SEMINOLE	0.234	0.175	473.833	102.000	8.600	0.026
1249	LAKE LAWNE	2.560	1.350	494.667	84.900	10.400	0.117
1250	LAKE TARPON	0.041	0.070	400.889	6.867	9.000	0.027
1252	LAKE ELOISE	0.486	0.170	465.333	70.233	12.200	0.339
1258	LAKE JESSIE	0.051	0.090	452.667	26.300	10.800	0.011
1261	EAST LAKE TOHOPEKALIGA	0.042	0.070	440.833	5.167	9.400	0.007
1264	PAYNE'S PRAIRIE LAKE (NO	1.260	0.140	476.000	88.200	7.400	1.210

ERCENT OF LAKES WITH HIGHER VALUES (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500-MEAN SEC	MEAN CHLORA	15-MIN DO	MEDIAN DISS ORTHO P	INDEX NO
1201	ALLIGATOR LAKE	25 (10)	29 (10)	30 (12)	18 (7)	10 (4)	18 (7)	130
1202	LAKE APOPKA	50 (20)	38 (15)	10 (4)	38 (15)	74 (29)	70 (28)	280
1203	LAKE BANANA	23 (9)	29 (10)	20 (8)	5 (2)	100 (40)	23 (9)	200
1206	LAKE CRESCENT	65 (26)	70 (27)	33 (13)	80 (32)	48 (18)	50 (20)	346
1207	DOCTORS LAKE	60 (24)	76 (30)	60 (24)	55 (22)	34 (12)	56 (22)	341
1208	LAKE DORA	53 (21)	35 (14)	18 (7)	33 (13)	90 (35)	68 (27)	297
1209	LAKE EFFIE	5 (2)	10 (4)	3 (1)	3 (1)	0 (0)	10 (4)	31
1210	LAKE GEORGE	45 (18)	54 (21)	48 (19)	43 (17)	23 (9)	43 (17)	256
1211	LAKE GIBSON	40 (16)	81 (32)	45 (18)	70 (28)	48 (18)	40 (16)	324
1212	GLENADA LAKE	43 (17)	54 (21)	85 (34)	53 (21)	3 (1)	38 (15)	276
1214	LAKE GRIFFIN	48 (19)	29 (10)	23 (9)	30 (12)	95 (38)	48 (19)	273
1215	LAKE HAINES	70 (28)	81 (32)	75 (30)	58 (23)	34 (12)	78 (31)	396
1217	LAKE HANCOCK	18 (7)	43 (17)	13 (5)	13 (5)	98 (39)	28 (11)	213
1219	LAKE HORSESHOE	93 (37)	70 (27)	80 (32)	78 (31)	20 (8)	65 (26)	406
1220	LAKE HOWELL	11 (4)	23 (9)	69 (27)	35 (14)	60 (23)	3 (1)	201
1221	LAKE ISTOKPOGA	85 (34)	76 (30)	65 (26)	93 (37)	69 (27)	89 (35)	477
1223	LAKE JESSUP	28 (11)	18 (7)	5 (2)	25 (10)	83 (32)	25 (10)	184
1224	LAKE KISSIMMEE	90 (36)	63 (25)	73 (29)	65 (26)	65 (26)	99 (39)	455
1227	LAKE LULU	3 (1)	3 (1)	15 (6)	0 (0)	8 (3)	5 (2)	34
1228	LAKE MARION	78 (31)	29 (10)	53 (21)	50 (20)	83 (32)	73 (29)	366
1229	LAKE MINNEHAHA	88 (35)	91 (36)	95 (38)	85 (34)	78 (31)	80 (32)	517
1230	LAKE MINNEOLA	100 (40)	98 (38)	98 (39)	100 (40)	90 (35)	93 (37)	579
1231	LAKE MONROE	38 (15)	15 (6)	28 (11)	75 (30)	26 (10)	33 (13)	215
1232	LAKE OKEECHOBEE	68 (27)	45 (18)	40 (16)	73 (29)	53 (21)	89 (35)	368
1234	LAKE POINSETT	58 (23)	60 (24)	50 (20)	95 (38)	34 (12)	45 (18)	342
1236	LAKE REEDY	95 (38)	13 (5)	55 (22)	45 (18)	34 (12)	95 (38)	337
1238	LAKE SOUTH	63 (25)	70 (27)	69 (27)	68 (27)	60 (23)	56 (22)	386
1239	LAKE TALQUIN	55 (22)	20 (8)	78 (31)	83 (33)	5 (2)	53 (21)	294

PERCENT OF LAKES WITH HIGHER VALUES (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500-MEAN SEC	MEAN CHLORA	15-MIN DO	MEDIAN DISS ORTHO P	INDEX NO
1240	LAKE THONOTOSASSA	20 (8)	85 (34)	58 (23)	40 (16)	48 (18)	15 (6)	265
1241	LAKE TOHOPEKALIGA	33 (13)	40 (16)	38 (15)	48 (19)	40 (16)	30 (12)	229
1242	TROUT LAKE	15 (6)	8 (3)	43 (17)	23 (9)	13 (5)	8 (3)	110
1243	LAKE WEOHYAKAPKA	75 (30)	91 (36)	83 (33)	88 (35)	74 (29)	84 (33)	495
1246	LAKE YALE	98 (39)	58 (23)	90 (36)	63 (25)	83 (32)	75 (30)	467
1247	LAKE MUNSON	8 (3)	5 (2)	8 (3)	8 (3)	16 (6)	13 (5)	58
1248	LAKE SEMINOLE	35 (14)	48 (19)	35 (14)	10 (4)	69 (27)	63 (25)	260
1249	LAKE LAWNE	0 (0)	0 (0)	0 (0)	20 (8)	43 (17)	35 (14)	98
1250	LAKE TARPON	83 (33)	98 (38)	100 (40)	90 (36)	60 (23)	60 (24)	491
1252	LAKE ELOISE	30 (12)	50 (20)	63 (25)	28 (11)	16 (6)	20 (8)	207
1258	LAKE JESSIE	73 (29)	88 (35)	88 (35)	60 (24)	26 (10)	84 (33)	419
1261	EAST LAKE TOHOPEKALIGA	80 (32)	98 (38)	93 (37)	98 (39)	55 (22)	99 (39)	523
1264	PAYNE'S PRAIRIE LAKE (NO	11 (4)	65 (26)	25 (10)	15 (6)	90 (35)	0 (0)	206

LAKES RANKED BY INDEX NOS.

RANK	LAKE CODE	LAKE NAME	INDEX NO
1	1230	LAKE MINNEOLA	579
2	1261	EAST LAKE TOHOPEKALIGA	523
3	1229	LAKE MINNEHAHA	517
4	1243	LAKE WEOHYAKAPKA	495
5	1250	LAKE TARPON	491
6	1221	LAKE ISTOKPOGA	477
7	1246	LAKE YALE	467
8	1224	LAKE KISSIMMEE	455
9	1258	LAKE JESSIE	419
10	1219	LAKE HORSESHOE	406
11	1215	LAKE HAINES	396
12	1238	LAKE SOUTH	386
13	1232	LAKE OKEECHOBEE	368
14	1228	LAKE MARION	366
15	1206	LAKE CRESCENT	346
16	1234	LAKE POINSETT	342
17	1207	DOCTORS LAKE	341
18	1236	LAKE REEDY	337
19	1211	LAKE GIBSON	324
20	1208	LAKE DORA	297
21	1239	LAKE TALQUIN	294
22	1202	LAKE APOPKA	280
23	1212	GLENADA LAKE	276
24	1214	LAKE GRIFFIN	273
25	1240	LAKE THONOTOSASSA	266
26	1248	LAKE SEMINOLE	260
27	1210	LAKE GEORGE	256
28	1241	LAKE TOHOPEKALIGA	229

LAKES RANKED BY INDEX NOS.

RANK	LAKE CODE	LAKE NAME	INDEX NO
29	1231	LAKE MONROE	215
30	1217	LAKE HANCOCK	213
31	1252	LAKE ELOISE	207
32	1264	PAYNE'S PRAIRIE LAKE (NO	206
33	1220	LAKE HOWELL	201
34	1203	LAKE BANANA	200
35	1223	LAKE JESSUP	184
36	1201	ALLIGATOR LAKE	130
37	1242	TROUT LAKE	110
38	1249	LAKE LAWNE	98
39	1247	LAKE MUNSON	58
40	1227	LAKE LULU	34
41	1209	LAKE EFFIE	31

APPENDIX B

CONVERSION FACTORS

CONVERSION FACTORS

Hectares x 2.471 = acres

Kilometers x 0.6214 = miles

Meters x 3.281 = feet

Cubic meters x 8.107×10^{-4} = acre/feet

Square kilometers x 0.3861 = square miles

Cubic meters/sec x 35.315 = cubic feet/sec

Centimeters x 0.3937 = inches

Kilograms x 2.205 = pounds

Kilograms/square kilometer x 5.711 = lbs/square mile

APPENDIX C

TRIBUTARY FLOW DATA

TRIBUTARY FLOW INFORMATION FOR FLORIDA 8/25/75

LAKE CODE 1201 ALLIGATOR LAKE

TOTAL DRAINAGE AREA OF LAKE(SQ KM) 39.9

TRIBUTARY	SUB-DRAINAGE AREA(SQ KM)	NORMALIZED FLOWS(CMS) JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
1201A1	2.1	0.02	0.04	0.04	0.01	0.01	0.01	0.02	0.04	0.04	0.03	0.01	0.01	0.02
1201B1	2.1	0.02	0.04	0.04	0.02	0.01	0.01	0.02	0.04	0.04	0.03	0.01	0.01	0.02
1201C1	4.7	0.10	0.15	0.15	0.10	0.10	0.09	0.10	0.15	0.16	0.12	0.07	0.09	0.12
1201ZZ	29.8	0.25	0.50	0.55	0.22	0.20	0.13	0.26	0.55	0.54	0.37	0.09	0.22	0.32

SUMMARY

TOTAL DRAINAGE AREA OF LAKE = 39.9
SUM OF SUB-DRAINAGE AREAS = 38.7

TOTAL FLOW IN = 5.83
TOTAL FLOW OUT = 0.0

NOTE *** LAKE IS A CLOSED SINK AND HAS NO OUTLET

MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
1201A1	3	73	0.06	17	0.03				
	4	73	0.07	14	0.02				
	5	73	0.01	19	0.01				
	6	73	0.02	14	0.00				
	7	73	0.01	14	0.01				
	8	73	0.04	12	0.02				
	9	73	0.02	15	0.04				
	10	73	0.01	3	0.01				
	11	73	0.00	17	0.00				
	12	73	0.02	13	0.01				
	1	74	0.01	18	0.01				
	2	74	0.01	15	0.01				
1201B1	3	73	0.06	17	0.03				
	4	73	0.08	14	0.02				
	5	73	0.01	19	0.01				
	6	73	0.02	14	0.00				
	7	73	0.01	14	0.01				
	8	73	0.04	12	0.02				
	9	73	0.02	15	0.04				
	10	73	0.01	3	0.01				
	11	73	0.00	17	0.00				
	12	73	0.02	13	0.01				
	1	74	0.01	18	0.01				
	2	74	0.00	15	0.01				

TRIBUTARY FLOW INFORMATION FOR FLORIDA 8/25/75

LAKE CODE 1201 ALLIGATOR LAKE

MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
1201C1	3	73	0.19	17	0.12				
	4	73	0.23	14	0.11				
	5	73	0.09	19	0.08				
	6	73	0.12	14	0.08				
	7	73	0.09	14	0.08				
	8	73	0.16	12	0.10				
	9	73	0.12	15	0.15				
	10	73	0.08	3	0.09				
	11	73	0.06	17	0.06				
	12	73	0.09	13	0.07				
	1	74	0.08	18	0.07				
	2	74	0.10	15	0.08				
1201ZZ	3	73	0.79	17	0.37				
	4	73	1.05	14	0.27				
	5	73	0.12	19	0.08				
	6	73	0.34	14	0.04				
	7	73	0.17	14	0.12				
	8	73	0.59	12	0.28				
	9	73	0.31	15	0.48				
	10	73	0.11	3	0.14				
	11	73	0.03	17	0.02				
	12	73	0.25	13	0.14				
	1	74	0.11	18	0.08				
	2	74	0.16	15	0.10				

APPENDIX D

PHYSICAL and CHEMICAL DATA

STORET RETRIEVAL DATE 75/08/25

120101
11EPALES
3

2111202
0008 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CNDUCTVY FIELD MICROMHO	00400 PH SU	00410 T ALK CACO3 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT KJEL N MG/L	00630 NO2&NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
73/03/07	11 20	0000	21.3		30	180	7.70	43	0.220	2.300	0.290	0.916
	11 20	0004	19.9	1.9		180	7.50	46	0.330	1.800	0.250	1.000
73/08/31	14 50	0000	29.4		24	178	8.80	54	0.110	2.700	0.130	0.386
	14 50	0005	29.2	8.5		178	8.10	54	0.100	1.800	0.120	0.287
73/11/05	11 24	0000	19.8		36	178	8.20	68	0.090	2.800	0.110	0.830
	11 24	0001	19.8	5.4		178						
	11 24	0005	19.3	3.2		178	7.40	71	0.350	2.100	0.060	0.990

DATE FROM TO	TIME OF DAY	DEPTH FEET	00665 PHOS-TOT MG/L P	32217 CHLRPHYL A UG/L
73/03/07	11 20	0000	1.220	25.6
	11 20	0004	1.240	
73/08/31	14 50	0000	0.620	80.4
	14 50	0005	0.435	
73/11/05	11 24	0000	1.020	49.2
	11 24	0005	1.130	

28 A

STORET RETRIEVAL DATE 75/08/25

120102
30 09 27.0 082 38 12.0
ALLIGATOR LAKE
12023 FLORIDA

11EPALES
3

2111202
0003 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CNDUCTVY FIELD MICROMHO	00400 PH SU	00410 T ALK CACO3 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT KJEL N MG/L	00630 NO2&NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
73/03/07	12 20	0000	21.3	8.5	36	110	7.90	24	0.070	1.600	0.080	0.127
73/08/31	14 40	0000	29.6	11.4	22	172	10.10	49	0.120	3.600	0.180	0.137
73/11/05	11 35	0000	22.4	12.0	8		9.60	54	0.120	4.400	0.140	0.311

DATE FROM TO	TIME OF DAY	DEPTH FEET	00665 PHOS-TOT MG/L P	32217 CHLRPHYL A UG/L
73/03/07	12 20	0000	0.204	19.4
73/08/31	14 40	0000	0.330	231.1
73/11/05	11 35	0000	0.574	120.7

29

APPENDIX E

TRIBUTARY and WASTEWATER TREATMENT PLANT DATA

STORET RETRIEVAL DATE 75/08/25

1201A1
30 11 00.0 082 36 30.0
UNNAMED TRIB
12011 7.5 LAKE CITY E
I/ALLIGATOR LAKE
RT 33 CULVERT
11EPALES 2111204
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/17	14 08		0.016	1.050	0.090	0.072	0.315
73/04/14	09 00		0.058	6.200	0.252	0.170	0.290
73/05/19	09 00		0.046	4.900	0.700	0.044	0.315
73/06/14	09 00		0.010K	0.820	0.028	0.063	0.220
73/07/14	09 00		0.017	2.900	0.035	0.028	0.230
73/08/12	10 00		0.036	4.600	0.440	0.065	0.150
73/09/15	09 00		0.030	2.900	0.460	0.087	0.280
73/10/03	09 00		0.105	5.400	0.450	0.120	0.330
73/11/17	12 30		0.040	1.950	0.056	0.064	0.260
73/12/13	12 30		0.156	1.800	0.460	0.110	0.300
74/01/18	12 00		0.040	2.100	0.036	0.068	0.507
74/02/15	12 00		0.032	1.200	0.125	0.080	0.210

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/08/25

120181
30 10 30.0 082 37 00.0
UNNAMED TRIB
12 7.5 LAKE CITY E
1/ALLIGATOR LAKE
DAM AT SE EDGE OF LAKE CITY
11EPALES 2111204
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/17	14	30	0.930	0.480	0.084	0.300	0.370
73/04/14	09	15	0.760	0.960	0.035	0.170	0.290
73/05/19	09	15	0.450	5.200	0.132	0.150	0.220
73/06/14	09	15	0.020	1.800	0.180	0.150	0.510
73/07/14	09	15	0.510	3.500	0.098	0.028	2.200
73/08/12	09	45	0.590	2.520	0.240	0.210	0.370
73/09/15	09	15	0.890	1.980	0.220	0.370	1.050
73/10/03	09	15	0.640	3.900	0.200	0.240	0.915
73/11/17	12	45	0.740	1.850	0.048	0.262	0.400
73/12/13	12	12	1.010	0.900	0.072	0.264	0.390
74/01/18	12	15	0.860	0.900	0.032	0.300	0.600
74/02/15	13	45	0.528	0.600	0.020	0.240	0.300

STORET RETRIEVAL DATE 75/08/25

1201C1
30 10 00.0 082 38 30.0
UNNAMED TRIB
12 7.5 LAKE CITY W
T/ALLIGATOR LAKE
SOUTH FIRST ST BRDG .75 MI S OF LAKE CIT
11EPALES 2111204
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/17	14 45		1.880	10.500	7.100	4.000	5.100
73/04/14	09 30		2.700	4.300	1.790	1.680	2.200
73/05/19	09 30		1.820	18.900	8.900	4.900	
73/06/14	09 30		4.300	5.100	2.000	0.650	3.150
73/07/14	09 30		1.460	7.200	0.098	1.600	2.100
73/08/12	09 30		2.900	3.700	0.750	1.300	1.720
73/09/15	09 30		2.600	9.600	1.800	2.700	2.900
73/10/03	09 30		11.800	3.500	1.060	4.200	5.200
73/11/17	13 00		11.800	8.600	2.300	4.620	6.100
73/12/13	12 00		12.000	7.250	2.400	4.400	5.100
74/01/18	12 30		7.000	9.500	3.600	3.800	5.400
74/02/15	13 30		8.300	6.700	1.880	3.670	4.800

STORET RETRIEVAL DATE 75/08/25

1201CA TF1201CA P011725
30 10 30.0 082 38 30.0
LAKE CITY
12011 7.5 LK CITY W
D/ALLIGATOR LAKE
ALLIGATOR LAKE
11EPALES 2141204
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P	50051 FLOW RATE INST MGD	50053 CONDUIT FLOW-MGD MONTHLY
73/02/14	07 30								
CP(T)-			7.000	10.500	2.400	3.100	4.300	2.000	
73/02/14	16 30								
73/03/14	07 30								
CP(T)-			0.450	7.400	0.640	2.600	3.000	2.000	2.000
73/03/14	16 00								
73/04/18	08 00								
CP(T)-			2.600	10.000	0.850	4.100	5.400	2.300	
73/04/18	16 00								
73/05/23	07 30								
CP(T)-			4.400	10.000	0.530	4.500	5.700	2.300	2.300
73/05/23	16 00								
73/06/13	07 00								
CP(T)-			5.700	9.100	2.300	3.900	4.800	2.000	2.000
73/06/13	16 00								
73/07/11	07 30								
CP(T)-			5.800	5.200	1.130	3.800	4.300	2.500	2.250
73/07/11	16 00								
73/08/15	07 30								
CP(T)-			5.700	5.000	0.890	3.100		2.000	2.000
73/08/15	16 00								
73/09/20	09 00								
CP(T)-			8.400	6.500	0.510	3.570	4.800	2.500	2.000
73/09/20	14 00								
73/10/24	07 30								
CP(T)-			12.800	5.100	0.890	5.200	6.600	2.250	2.250
73/10/24	16 30								
73/11/28	07 30								
CP(T)-			11.600	9.950	1.100	5.400	6.500	2.000	2.000
73/11/28	16 00								
73/12/12	07 30								
CP(T)-			13.000	6.700	1.320	4.900	5.300	2.000	2.000
73/12/12	16 00								
74/02/04	08 00								
CP(T)-								2.500	2.500
74/02/04	14 00								

STORET RETRIEVAL DATE 75/08/25

12O1CA TF1201CA P011725
30 10 30.0 082 38 30.0
LAKE CITY
12011 7.5 LK CITY W
O/ALLIGATOR LAKE
ALLIGATOR LAKE
11EPALES 2141204
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P	50051 FLOW RATE INST MGD	50053 CONDUIT FLOW-MGD MONTHLY
74/02/28 CP(T)- 74/02/28	08 00 16 00		9.800	8.500	2.700	5.300	6.700	2.000	2.000

35A